

URBAN BLOCK 10 - COMPACTA

— By ITEMDesign Works —
Javier Cuñado



■ DESCRIPTION

Shell: Polypropylene (P.P) with 40 % fibre glass in a wide range of colours.

Seat: Upholstered with an ergonomic padded interior in different finishes

Arms: Ability to incorporate fibreglass into polypropylene (P.P) arms for reinforcement.

Frame made from 2 mm thick hot-rolled steel cylindrical tube coated in epoxy 90 microns thickness, with finishes: Silver, white, black or chromed. Includes protective stacking.

■ SHELL



5 mm polypropylene with 40 % fibre glass in a wide range of colours

■ SEAT



5 mm polypropylene with 40 % fibre glass in a wide range of colours



Upholstered Seat with foam (110-120kg/m³). Optional.

■ ACCESSORIES



Optional writing tablet in 13mm phenolic, on the right or left hand side

Chairs with writing tablet are not stackable



Optional Hook on basket Ø 5 mm thickness with supports Ø 7 mm thickness. **Aluminum, white or black finish**



Polypropylene (P.P) linking devices. 5 mm thickness



Stackable chairs



- ① Shell made from 5 mm width polypropylene (P.P) with ergonomic fibre glass and transpirations holes
- ② Models with and without polypropylene arms (P.P). **Optional** writing table in models without arms
- ③ Optional upholstered seat with an ergonomic padded interior, in different finishes
- ④ Cast aluminum framework in white, black or aluminum finishes
- ⑤ Protective stacking
- ⑥ Steel cylindrical tube in different finishes: **Silver, white, black or chromed**
- ⑦ Graphite caps with felt silent pad-anti scratch.



■ DIMENSIONS

Total Height: 870 mm


Total Width: 440-590 mm

Total Depth: 535 mm

Seat Height: 420 mm

Seat Width: 440 mm

Seat Depth: 450 mm



DESCRIPTION

Back Rest: Polypropylene (P.P) with 40 % fibre glass in a wide range of colours.

Seat: Upholstered with an ergonomic padded interior in different finishes

Frame:

Draughtsman chair: fixed to a moulded aluminium carcasse 4 mm thickness.

Swivel base Ø 67,5 cm and 5 stars 6 cm thickness. Black glides. Gas lift for height adjustment.



SHELL



5 mm polypropylene with 40 % fibre glass in a wide range of colours

SEAT



5 mm polypropylene with 40 % fibre glass in a wide range of colours



Upholstered Seat with foam (110-120kg/m³) optional

BASES




Swivel black polyamide base - 67,5 cm
Polypropylene (PP) black caps

- 1 Back made from 5 mm width polypropylene (P.P) with ergonomic fibre glass and transpirations holes
- 2 Models without arms
- 3 Optional upholstered seat with an ergonomic padded interior, in different finishes
- 4 Cast aluminum framework.
- 5 Gas lift
- 6 Chromed steel footrest. Curved tube Ø 18 mm, 1,5 mm thickness
- 7 Swivel base Ø 67,5 cm finished in **black polyamide**.
- 8 Black PP and rubber caps



DIMENSIONS



DIMENSIONS

Total Height: 1040-1200 mm
Total Width: 675 mm
Total Depth: 675 mm
Seat Height: 590-840 mm
Seat Width: 440 mm
Seat Depth: 450 mm

DESCRIPTION

Back Rest: Polypropylene (P.P) with 40 % fibre glass in a wide range of colours.

Seat: Upholstered with an ergonomic padded interior in different finishes

Arms: Ability to incorporate fibreglass into polypropylene (P.P) arms for reinforcement.

Frame:

Swivel base: 5 spoke swivel base of cast aluminum or polyamide with fiber glass and standard silent wheels. Gas lift. Optional soft hole weight control castor in models with aluminium base.

SHELL



5 mm polypropylene with 40 % fibre glass in a wide range of colours

SEAT



5 mm polypropylene with 40 % fibre glass in a wide range of colours



Upholstered Seat with foam (110-120kg/m³) optional

BASES



White aluminum - Ø 67,5 cm
Black soft castors - Ø 60 mm
Optional: soft hole weight control castor - Ø 65 mm



Aluminized aluminum - Ø 67,5 cm
Dark Grey soft castors - Ø 60 mm
Optional: soft hole weight control castor - Ø 65 mm



Black polyamide - Ø 67,5 cm
Black soft castors - Ø 50 mm



White polyamide - Ø 67,5 cm
Black soft castors - Ø 50 mm



- ① Back made from 5 mm width polypropylene (P.P) with ergonomic fibre glass and transpirations holes
- ② Models with and without polypropylene arms (P.P)
- ③ Optional upholstered seat with an ergonomic padded interior, in different finishes
- ④ Cast aluminum framework.
- ⑤ Gas lift
- ⑥ Base of 67,5 cm in finishes of **black polyamide, white polyamide, aluminized aluminum or white aluminium.**
- ⑦ Soft castors




DIMENSIONS

Total Height: 870-970 mm
Total Width: 675 mm
Total Depth: 675 mm

Seat Height: 450-550 mm
Seat Width: 440 mm
Seat Depth: 450 mm

DIMENSIONS



DESCRIPTION

Back Rest: Polypropylene (P.P) with 40 % fibre glass in a wide range of colours.

Writing Tablet: Large surface 50 x 25,5 cm, which offers the user greater workspace in phenolic white finish. The surface is attached to the structure of the chair, using a stell tube Ø 25 mm diameter and 2 mm thick, which allows the tablet to move 360°, enabling it to be placed opposite the user, into one of the sides or behind the back.

Frame:

Swivel base: 5 spoke swivel base of cast aluminum or polyamide with fiber glass and standard silent wheels. Gas lift. Optional soft hole weight control castor in models with aluminium base.

BACK AND SEAT



5 mm polypropylene with 40 % fibre glass in a wide range of colours

BASES



Aluminized aluminum - Ø 67,5 cm
Dark Grey soft castors - Ø 60 mm
Optional: soft hole weight control castor - Ø 65 mm



Black polyamide - Ø 67,5 cm
Black soft castors - Ø 50 mm



White polyamide - Ø 67,5 cm
Black soft castors - Ø 50 mm

DIMENSIONS

Total Height: 870-970 mm
Total Width: 675-870 mm
Total Depth: 850 mm


Seat Height: 450-550 mm
Seat Width: 440 mm
Seat Depth: 450 mm




- 1 Back made from 5 mm width polypropylene **(P.P)** with ergonomic fibre glass and transpirations holes
- 2 Swivel writing tablet 360°, in **phenolic white finishes**
- 3 Cast aluminum framework.
- 4 Gas lift
- 5 Base of 67,5 cm in finishes of **black polyamide and white polyamide**.
- 6 Soft castors



DIMENSIONS




URBAN MONOBLOCK - BENCHES



DESCRIPTION

- ① Shell made from polypropylene (PP) with 40 % fiber glass with a wide offer of colours.
- ② Cast aluminum framework.
- ③ Lower structural beam steel tube Ø60 of round section and thickness 3 mm
- ④ Lower structural beam steel tube Ø60 of round section and thickness 3 mm

DIMENSIONS



DIMENSIONS

Total Height: 875 mm
 Total Width: según modelos
 Total Depth: 580 mm
 Seat Height: 450 mm
 Seat Width: 440 mm
 Seat Depth: 450 mm

SHELL



5 mm polypropylene with 40 % fiber glass in a wide range of colours



STRUCTURE



Black anti-skid polyethylene caps

DIMENSIONS

4 POSITIONS - Without arms




BACK AND SEAT




5 mm polypropylene with 40 % fibre glass in a wide range of colours

■ SEAT

Fabric T - Newport



Fabric M - Melang & Step



Fabric D - Felicity





MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

12,97%
RECYCLED
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

85,47%
RECYCLABLE
MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of
responsible forestry



PEFC/04-31-0782
PEFC Certificate



EN ISO 14006:2011
ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004
ISO 14001 Certificate



E1 Certificate
by EN 13986



ACTIU TECHNOLOGY PARK
LEED® PLATINUM certified by USGBC
Leadership in Energy & Environmental Design
LEED® Gold certified 2011 - LEED® Platinum certified 2017


STANDARDS

URBAN has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture. The tests correspond to:

Confident office chair. Standard applied


- **UNE-EN 1728:01.** Domestic furniture - Seating - Test methods for the determination of strength and durability.
- **UNE-EN 16139:13.** Furniture. Resistance, long lasting, security. Requirements for non domestic use seating.

■ 4 LEGGED CHAIR WITH WRITING TABLET




With weight more than 15 kg.

Without a seated user, the chair overturns.




With a seated user, maximum resistance of writing tablet 40 kg.

■ CHAIRS (with 360° swivel writing tablet)



With weight more than 2,5 kg.

Without a seated user, the chair overturns.



With a seated user, maximum resistance of writing tablet 15 kg.