

URBAN BLOCK 20 - BASIC

— By ITEM JAVIER CUÑADO —



■ DESCRIPTION

Back and seat: Polypropylene (P.P) with 40 % fibre glass in a wide range of colours.

Seat: Upholstered with an ergonomic padded interior in different finishes.

Frame made from 2 mm thick hot-rolled steel cylindrical tube coated in epoxy 90 microns thickness, with finishes: **Silver, white, black or chromed.**
Protective stacking including in 4 legs model.

■ BACK AND SEAT



5 mm polypropylene with 40 % fibre glass in a wide range of colours

■ SEATS AND BACKS



5 mm polypropylene with 40 % fibre glass in a wide range of colours



Upholstered Seat with foam (110-120kg/m³) optional

■ STACKING CHAIRS



Stackable chairs - max. 5 units

■ TROLLEY



max. 20 chairs



- ① Back made from 5 mm width polypropylene (P.P) with ergonomic fibre glass and transpirations holes
- ② Steel tubo plate 30 x 15 mm and 1,5 mm width, silver or chromed finishes
- ③ Protective stacking
- ④ Steel cylindrical tube in different finishes: **Silver, white, black or chromed**
- ⑤ Graphite caps with felt silent pad-anti scratch.




■ DIMENSIONS

Total Height: 870 mm
Total Width: 440 mm
Total Depth: 535 mm

Seat Height: 450 mm
Seat Width: 440 mm
Seat Depth: 450 mm

■ DIMENSIONS



■ DESCRIPTION

Back and seat: Polypropylene (P.P) with 40 % fibre glass in a wide range of colours.

Seat: Upholstered with an ergonomic padded interior in different finishes.

Frame made from 2 mm thick hot-rolled steel cylindrical tube coated in epoxy 90 microns thickness, with finishes: **Silver, white, black or chromed.**
Protective stacking including in 4 legs model.

■ BACK AND SEAT



5 mm polypropylene with 40 % fibre glass in a wide range of colours

■ SEATS AND BACKS



5 mm polypropylene with 40 % fibre glass in a wide range of colours



Upholstered Seat with foam (110-120kg/m³) optional

■ STACKING CHAIRS



Stackable chairs - max. 5 units

■ TROLLEY



max. 20 chairs



- ① Back made from 5 mm width polypropylene (**P.P**) with ergonomic fibre glass and transpirations holes
- ② Model with arms
- ③ Steel tubo plate 30 x 15 mm and 1,5 mm width, silver or chromed finishes
- ④ Protective stacking
- ⑤ Steel cylindrical tube in different finishes: **Silver, white, black or chromed**
- ⑥ Graphite caps with felt silent pad-anti scratch.




■ DIMENSIONS

Total Height: 870 mm
Total Width: 440 mm
Total Depth: 535 mm

Seat Height: 450 mm
Seat Width: 440 mm
Seat Depth: 450 mm

■ DIMENSIONS



■ DESCRIPTION

Back and seat: Polypropylene (P.P) with 40 % fibre glass in a wide range of colours.

Seat: Upholstered with an ergonomic padded in different finishes.

Frame made from 2 mm thick hot-rolled steel cylindrical tube coated in epoxy 90 microns thickness, with finishes.

■ BACK AND SEAT



5 mm polypropylene with 40 % fibre glass in a wide range of colours

■ SEATS AND BACKS



5 mm polypropylene with 40 % fibre glass in a wide range of colours



Upholstered Seat with foam (110-120kg/m³) optional

■ STACKING CHAIRS



Stackable chairs - max. 4 units

■ TROLLEY



max. 20 chairs



- ① Back made from 5 mm width polypropylene (**P.P**) with ergonomic fibre glass and transpirations holes
- ② Steel tubo plate 30 x 15 mm and 1,5 mm width, silver or chromed finishes
- ③ Protective stacking (including in 4 legs model)
- ④ Steel cylindrical tube.
- ⑤ Graphite caps




■ DIMENSIONS

Total Height: 870 mm
Total Width: 450 mm
Total Depth: 560 mm

Seat Height: 450 mm
Seat Width: 440 mm
Seat Depth: 450 mm

■ DIMENSIONS



DESCRIPTION

Back and seat: Polypropylene (P.P) with 40 % fibre glas.

Seat and back: Upholstered with dynamic fabric in 3mm, in different finishes.

Frame made from 2 mm thick hot-rolled steel cylindrical tube coated in epoxy 90 microns thickness, with finishes:

Silver, white, black or chromed.

UPHOLSTERED SEAT



Fabric T

Fabric M

Fabric D



- ① Back made from 5 mm width polypropylene (P.P) with ergonomic fibre glass and transpirations holes
- ② Steel tubo plate 30 x 15 mm and 1,5 mm width, silver or chromed finishes
- ③ Steel cylindrical tube in different finishes: **Silver, white, black or chromed**
- ④ Graphite caps with felt silent pad-anti scratch.



DIMENSIONS

Total Height: 870 mm

Total Width: 440 mm


Total Depth: 535 mm

Seat Height: 450 mm

Seat Width: 440 mm

Seat Depth: 450 mm

DIMENSIONS



DESCRIPTION

Back and seat: Polypropylene (P.P) with 40 % fibre glas.

Seat and back: Upholstered with dynamic fabric in 3mm, in different finishes.

Frame made from 2 mm thick hot-rolled steel cylindrical tube coated in epoxy 90 microns thickness, with finishes:

Silver, white, black or chromed.

Model with **arms** in black polypropylene.

UPHOLSTERED SEAT



Fabric T

Fabric M

Fabric D



- ① Back made from 5 mm width polypropylene (**P.P**) with ergonomic fibre glass and transpirations holes
- ② Model with arms
- ③ Steel tubo plate 30 x 15 mm and 1,5 mm width, silver or chromed finishes
- ④ Steel cylindrical tube in different finishes: **Silver, white, black or chromed**
- ⑤ Graphite caps with felt silent pad-anti scratch.




DIMENSIONS

Total Height: 870 mm
Total Width: 440 mm
Total Depth: 535 mm

Seat Height: 450 mm
Seat Width: 440 mm
Seat Depth: 450 mm

DIMENSIONS



■ DESCRIPTION

Back and seat: Polypropylene (P.P) with 40 % fibre glas.

Seat and back: Upholstered with dynamic fabric in 3mm, in different finishes.

Frame made from 2 mm thick hot-rolled steel cylindrical tube coated in epoxy 90 microns thickness, with **Silver** finish.

■ UPHOLSTERED SEAT



Fabric T

Fabric M

Fabric D



① Back made from 5 mm width polypropylene (**P.P**) with ergonomic fibre glass and transpirations holes

② Steel tubo plate 30 x 15 mm and 1,5 mm width, silver or chromed finishes

③ Steel cylindrical tube.

④ Graphite caps



■ DIMENSIONS

Total Height: 870 mm

Total Width: 450 mm


Total Depth: 560 mm

Seat Height: 450 mm

Seat Width: 440 mm

Seat Depth: 450 mm

■ DIMENSIONS





MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

31,56%
RECYCLED
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

97,23%
RECYCLABLE
MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of
responsible forestry



PEFC/04-31-0782
PEFC Certificate



EN ISO 14006:2011
ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004
ISO 14001 Certificate



E1 Certificate
by EN 13986



ACTIU TECHNOLOGY PARK
LEED® PLATINUM certified by USGBC
Leadership in Energy & Environmental Design
LEED® Gold certified 2011 - LEED® Platinum certified 2017

STANDARDS

URBAN has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture.

The tests correspond to:

Confident office chair. Standard applied

- **UNE-EN 15373:07.** Furniture. Resistance, long lasting, security. Requirements for non domestic use seating.
- **UNE-EN 1728:01.** Domestic furniture - Seating - Test methods for the determination of strength and durability.