




TABULA TABLES - TAR 30

— By Actiu —








































TABULA tables are a canteen and meeting tables program. These tables can be used on several environments due to its different models and styles.

Tabula offers a wide range of size and different base options to use them in canteens, small meeting points, break out areas or informal meeting/working areas. Table tops are available in glass, MFC and Compact Laminated, and both round or squared shaped with a round central column in steel allowing 3 different types of bases: round steel, round aluminium or cross aluminium.

	TAR10 TABULA TABLES	TAR20 TABULA TABLES	TAR30 TABULA TABLES
			
Base	Ø40 or Ø45 cm base made of 8mm thick Steel. Available in White, Silver and Black.	Ø 67,5 cm base with 4 support points on a cross base made of injected aluminium. Available in White, Silver, Black and Polished.	Ø 58 cm or Ø 66 cm base made of injected aluminium. Available in White, Silver, Black and Polished. realizada en aluminio inyectado.
Supports	Levellers with anti-skid pads.	Levellers with anti-skid pads. Optional: 45mm diameter black castors with Teflon tyre thread.	Levellers with anti-skid pads.
Column	Ø 60mm central column made of 2mm thick aluminium. Available in White, Silver and Black.	Ø 60mm central column made of 2mm thick aluminium. Available in White, Silver and Black.	Ø 76mm central column made of 2mm thick aluminium. Available in White, Silver and Black.
Table top	25mm thick MFC tops and 13mm thick Compact Laminated top	25mm thick MFC tops, 13mm thick Compact Laminated top or 5+5mm thick security laminated glass with rounded edges.	25mm thick MFC tops, 13mm thick Compact Laminated top or 5+5mm thick security laminated glass with rounded edges
Height	40 cm / 74 cm / 110 cm	40 cm / 74 cm / 110 cm	40 cm / 74 cm / 110 cm
Outdoor table	---	Aluminium base, column and desk support to allow TAR20 to be used outdoor. Desk top required for an outdoor use: Compact Laminate.	---
Connectivity options	---	---	Electrification system in highlighted models with optional plugs or USB connections. Only available on MFC and Compact Laminated tops.

AVAILABILITY OF MODELS AND MEASURES

<div>    </div>										
TAR10 TABULA TABLES			TAR20 TABULA TABLES			TAR30 TABULA TABLES				
Steel Base Ø40 / Ø45 cm			Injected Aluminium base Ø67,5 cm			Injected Aluminium base Ø58 / Ø66 cm				
Steel column Ø60 mm			Aluminium column Ø60 mm			Steel column Ø76 mm				
	TABLE TOP	MFC	C. LAMINATE	GLASS	MFC	C. LAMINATE	GLASS	MFC	C. LAMINATE	GLASS
74 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									
	 Ø100 cm									
	 Ø120 cm									
	 60x60 cm									
	 80x80 cm									
	 90x60 cm									
110 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									
	 Ø100 cm									
40 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									
	 Ø100 cm									




- ① **Work tops** available in Melamine (25mm) Compact Laminate (13mm) or laminated security glass (5+5 mm), round shape edge
- ② Steel **Column** 76 mm diameter and 2 mm thickness
- ③ **Base:** Aluminium Die Casting Bases, Ø58 or Ø66 cm, silver, white and black. The base have an anti-skid pad.
- ④ **3 different Heights:**
 - 40 cm. height Tables
 - 74 cm. height Tables
 - 110 cm. height Tables
- ⑤ **Optional Connectivity:** TALL models with melamine and phenolic surfaces can optionally incorporate integrated connection access to the table surface with a plug.




- ⑥ **Levellers** with anti-skid pads


BASES



Silver Steel Cylinder Tube
Die Casted Aluminium base, silver finish - Anti-skid pads




White Steel Cylinder Tube
Die Casted Aluminium base, white finish - Anti-skid pads




Black Steel Cylinder Tube
Die Casted Aluminium base, black finish - Anti-skid pads

TÁBULA TABLES TAR-30



FINISHES (see table of finishes)

MFC (25 mm)



00 WHITE

11 LIME OAK

07 CHESTNUT

14 DARK OAK

08 BLACK


Compact Laminate (13 mm)



30 WHITE

38 BLACK

Glass



50 FROSTED

52 WHITE

59 BLACK



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

15,74%
RECYCLED
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

51,97%
RECYCLABLE
MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of
responsible forestry



PEFC Certificate



EN ISO 14006:2011
ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004
ISO 14001 Certificate



E1 Certificate
by EN 13986



ACTIU TECHNOLOGY PARK
LEED® PLATINUM certified by USGBC
Leadership in Energy & Environmental Design
LEED® Gold certified 2011 - LEED® Platinum certified 2017